


DOCUMENT SCAN CONTROL SHEET

Document ID 512671



EPA # 79676-57

EPA #
For SLN

Product ABAMECTIN E-PRO 0.15 EC INSECTICIDE
Name

Accepted
Date 10/12/2007

Document
Type PRILAB

Registration ID 123690

A²

REV 0707-450186

Abamectin E·Pro 0.15 EC

Insecticide

MITICIDE / INSECTICIDE

For Control of Leafminers and Mites
and Suppression of Aphids, Whiteflies and Thrips on Ornamental Plants

ACTIVE INGREDIENT:
Abamectin (CAS No.'s 65195-56-4 and 65195-55-3) 2.0%
OTHER INGREDIENTS: 98.0%
TOTAL: 100.0%

*1 gallon contains 0.15 lb. abamectin

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See inside label booklet for **FIRST AID** and additional **PRECAUTIONARY STATEMENTS**


Net Contents: 1 Quart



Manufactured for:
Etigra
501 Cascade Pointe Lane, Suite 103
Cary, NC 27513
www.etigra.com

EPA Reg. No. 79676-57
EPA Est. No. indicated by the 8th digit
of the batch number on this package.
(A)=4-NY-001; (C)=5905-GA-001;
(F)=53883-TX-002; (G)=67545-AZ-001;
(M)=51036-GA-001; (P)=34704-MS-002
Product of China.
Formulated in the United States with
U.S. and imported ingredients.

PEEL HERE TO OPEN



512671

PF-29796 BLACK

PROOF

THIS PROOF IS TO BE CHECKED FOR ACCURACY

Please review and approve Text, Spelling, Copy Placement, Size, Shape, Colors, Unwind, and Dieline.

Authorized signature accepts responsibility for accuracy of all copy, color break and artwork. Cimarron Label is not liable for any discrepancies subsequently identified.

PLEASE NOTE: Due to color variance between printers/monitors, the colors represented by this proof cannot be deemed accurate. Please refer to a color matching system such as the Pantone Matching System for a truer representation of spot colors. **THIS PROOF IS NOT ACCURATE FOR COLOR-MATCH.**

WE CANNOT PROCESS THIS ORDER WITHOUT AN AUTHORIZED SIGNATURE

ARTWORK IS APPROVED

REVISED PROOF NEEDED

Signed _____


Date _____

Please Return To: _____



4201 North Westport Avenue, Sioux Falls, South Dakota 57107
Phone: (605) 978-0451 • Fax: (605) 978-0463

Please indicate the correct unwind position



PROOF DATE: JULY 19, 2007

CUSTOMER: ETIGRA

JOB NUMBER: 29796

LABEL SIZE: 3.625" x 4.0"

LABEL COLORS: BLACK

PATTERN VARNISH

LEAFLET "IN" COLORS: BLACK

LEAFLET "OUT" COLORS: BLACK PMS 375

PMS 7540 PMS 7470

dieline does not print

FIRST AID	
If swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not give any liquid to the person. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
<p>Early signs of intoxication include dilation of pupils, muscular incoordination, and muscle tremors. Toxicity following accidental ingestion of this product can be minimized by early administration of chemical adsorbents (e.g., activated charcoal). If toxicity from exposure has progressed to cause severe vomiting, the extent of resultant fluid and electrolyte imbalance should be gauged. Appropriate supportive parenteral fluid replacement therapy should be given, along with other required supportive measures (such as maintenance of blood pressure levels and proper respiratory functionality) as indicated by clinical signs, symptoms, and measurements. In severe cases, observations should continue for at least several days until clinical condition is stable and normal. Since abamectin is believed to enhance GABA activity in animals, it is probably wise to avoid drugs that enhance GABA activity (barbiturates, benzodiazepines, valproic acid) in patients with potentially toxic abamectin exposure.</p>	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed. Causes substantial but temporary eye injury. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective eyewear such as goggles, face shield or safety glasses. Harmful if inhaled or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. For more options, follow the instructions for Category B on an EPA chemical-resistant category selection chart.

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves, such as barrier laminate or butyl rubber \geq 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing, or loading
- For shadehouse and greenhouse uses, applicators and other handlers must wear a dust/mist filtering NIOSH approved respirator with any R, P, or HE filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

This pesticide is toxic to water is present, or to water when disposing exposed to direct treat or allow it to drift to bl

Do not use or store ne:

ATTENTION: This pro ifornia to cause birth d

It is a violation of Fede not apply this product through drift. Only pro ments specific to your

Use this product onh dard 40 CFR Part 17C workers on farms, fr cides. It contains re assistance. It also co on this label about r requirements in this Protection Standard. Do not enter or allow of 12 hours.

ANIMALS

jury. Causes skin irritation. Do not use as goggles, face shield or clothing or frequently repeated use. Avoid breathing spray mist. Wash hands, eating, drinking, chewing gum, or using tobacco.

(PPE)

See label below. For more options, follow the category selection chart.

Do not enter treated areas until sprays have dried.

LOADING

Workers must wear a dust/mist filter.

Do not use on waxed or heavily contaminated surfaces. Follow the manufacturer's instructions for cleaning equipment with detergent and hot water.

DISPOSAL

Do not empty into the toilet, sink, or other waterways. Wash thoroughly and put on disposal.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ATTENTION: This product contains a chemical (N-methyl pyrrolidone) known to the state of California to cause birth defects or other reproductive harm.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

(continued)

AGRICULTURAL USE REQUIREMENTS (continued)

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves, such as barrier laminate or butyl rubber ≥ 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not re-enter treated areas until sprays have dried.

GENERAL INFORMATION

Abamectin E-Pro 0.15 EC Insecticide contains the active ingredient abamectin which mixes readily with water for control of leafminers and mites on ornamental plants. Abamectin E-Pro 0.15 EC Insecticide also acts to suppress whiteflies, thrips and aphids. Abamectin E-Pro 0.15 EC Insecticide is applied as a foliar spray and must be mixed in enough water to ensure thorough coverage of the foliage.

Use Directions for Tip-N-Measure Container:

1. Remove the measuring chamber cap and seal over container opening.
2. Replace the cap and securely tighten.
3. Tip the container until the measuring chamber contains the desired amount of product.
4. Return container to its level position.
5. Remove measuring chamber cap and pour product into proper application equipment.
6. Replace the cap and securely tighten.

Resistance Management

To avoid development of resistance, use resistance management practices. A number of insecticides/miticides with different modes of action are available. Consult your State Cooperative Extension agent for more information on resistance management strategies.

Liriomyza leafminers: Use Abamectin E-Pro 0.15 EC Insecticide in a different mode of action than the insecticide you are currently using. Consult your State Cooperative Extension agent for more information on resistance management strategies.

Restrictions

- Roses, chrysanthemum, and other ornamentals: Do not use Abamectin E-Pro 0.15 EC Insecticide on these plants. Do not use Abamectin E-Pro 0.15 EC Insecticide on plants that are susceptible to injury from insecticides.
- Do not apply this product to plants that are stressed or damaged.
- Do not apply by air.
- Not for use in citrus groves.
- Testing of Abamectin E-Pro 0.15 EC Insecticide on sensitive species. However, Abamectin E-Pro 0.15 EC Insecticide is not for use on *Adiantum* spp. due to its toxicity.

Although Abamectin E-Pro 0.15 EC Insecticide is not for use on ornamental plants, it is not for use on plants that are susceptible to injury from insecticides. Do not apply to a few plants in a mixture on a commercial crop.

(continued)
 under the Worker Protection
 treated, such as plants, soil,
 diameter ≥ 14 mils

NTS
 are NOT within the scope of
 CFR Part 170). The WPS
 on farms, forests, nurseries,

Abamectin which mixes read-
 ings. Abamectin E-Pro 0.15 EC
 mectin E-Pro 0.15 EC Insecti-
 er to ensure thorough cover-

ening.
 read amount of product.
 application equipment.

Resistance Management

To avoid development of resistance to Abamectin E-Pro 0.15 EC Insecticide, use resistance management practices. A number of options exist to prevent resistance including the use of other insecticides/miticides with different modes of action, alternating the use of the same product in treating successive generations of insects, applying at the use rate and spray intervals specified on the product label, non-chemical alternatives, rotation of susceptible to non-susceptible plants, etc. Consult your State Cooperative Extension Service for assistance with these or other resistance management strategies.

Liriomyza leafminers resistance can be managed by making three applications of Abamectin E-Pro 0.15 EC Insecticide followed by three applications of a registered alternative insecticide with a different mode of action; then return to making Abamectin E-Pro 0.15 EC Insecticide or an alternate insecticide application. Rotation of insecticides should be timed so that Abamectin E-Pro 0.15 EC Insecticide is not applied to successive generations of this pest.

Restrictions

- Roses, chrysanthemums, and gerbera are primary hosts of mites and *Liriomyza* leafminers which Abamectin E-Pro 0.15 EC Insecticide effectively controls. Attempts to use Abamectin E-Pro 0.15 EC Insecticide to suppress aphids, thrips, and whiteflies on ornamental plants may lead to resistance of Abamectin E-Pro 0.15 EC Insecticide in mites and *Liriomyza* leafminers.
- Do not apply this product through any type of irrigation system.
- Do not apply by air.
- Not for use in citrus nurseries.
- Testing of Abamectin E-Pro 0.15 EC Insecticide has shown it to be safe on many ornamental species. However, Abamectin E-Pro 0.15 EC Insecticide is not recommended for use on ferns (e.g., *Adiantum* spp.) or Shasta Daisy (*L. eucanthemum* spp.) to avoid the possibility of phytotoxicity.

Although Abamectin E-Pro 0.15 EC Insecticide has been found to be safe to use on most ornamental species, it is not possible to test all possible spray combinations of Abamectin E-Pro 0.15 EC Insecticide mixed with different adjuvants and surfactants. Spray mixtures should be tested by applying to a few plants and evaluating the ornamentals for phytotoxicity prior to using that spray mixture on a commercial scale.

DIRECTIONS FOR USE ON SHADEHOUSE, GREENHOUSE, AND FIELD-GROWN ORNAMENTALS, FOLIAGE PLANTS, CHRISTMAS TREES, AND OTHER WOODY ORNAMENTAL PLANTS

Pests	Amount of Abamectin E-Pro 0.15 EC Insecticide (fl. oz./100 gallons of water)	Application Timing	Application Dilutions
European Red Mite Carmine Spider Mite Eriophyid Mites (Rust and Bud Mites) Southern Red Mite Spruce Spider Mite Tarsonemid Mites (Cyclamen & Broad Mites) Two-spotted Spider Mite	4	Apply Abamectin E-Pro 0.15 EC Insecticide when mites first appear. Make repeat applications as needed for control of pest. Apply Abamectin E-Pro 0.15 EC Insecticide when leafminers appear and repeat applications at 7 day intervals or as needed to maintain control. Control of Tarsonemid mites may require repeat applications to newly developing foliage.	Apply Abamectin E-Pro 0.15 EC Insecticide in 200-400 gallons of water per acre. If the water volume must be greater for sufficient foliage coverage (ex., 650 gal.), use 2.5 fl. oz. per 100 gallons. Mix a minimum of 8 fl. oz. Abamectin E-Pro 0.15 EC Insecticide per Acre when water volumes are less than 200 gallons. Mix a minimum of 16 fl. oz. Abamectin E-Pro 0.15 EC Insecticide per Acre when water volumes are more than 400 gallons.

(continued)

DIRECTIONS FOR USE ON SHADEHOUSE, GREENHOUSE, AND FIELD-GROWN ORNAMENTALS, FOLIAGE PLANTS, CHRISTMAS TREES, AND OTHER WOODY ORNAMENTAL PLANTS (continued)

Pests	Amount of Abamectin E-Pro 0.15 EC Insecticide (fl. oz./ 100 gallons of water)	Application Timing	Application Dilutions
<i>Liriomyza</i> Leafminers	8	Repeat at 7-day intervals or as necessary to maintain control.	Apply Abamectin E-Pro 0.15 EC Insecticide in 100-200 gallons of water per acre. If the water volume must be greater for sufficient foliage coverage (ex. 400 gal.), use 4.0 fl. oz. per 100 gallons. Mix a minimum of 8 fl. oz. Abamectin E-Pro 0.15 EC Insecticide per Acre when water volumes are less than 100 gallons. Mix a minimum of 16 fl. oz. Abamectin E-Pro 0.15 EC Insecticide per Acre when water volumes are more than 200 gallons.

(continued)

DIRECTIONS FOR USE ON SHADEHOUSE, GREENHOUSE, AND FIELD-GROWN ORNAMENTALS, FOLIAGE PLANTS, CHRISTMAS TREES, AND OTHER WOODY ORNAMENTAL PLANTS (continued)

Pests	Amount of Abamectin E-Pro 0.15 EC Insecticide (fl. oz./ 100 gallons of water)	Application Timing	Application Dilutions
Boxwood Leafminer	8	Apply when adults begin to lay eggs in the new foliage.	
Aphids, Thrips and Whiteflies		Suppression of immature stages of these pests requires direct contact with the Abamectin E-Pro 0.15 EC Insecticide spray. Make repeat applications at 7 day intervals for up to three weeks. Then use insecticides with modes of action different from Abamectin E-Pro 0.15 EC Insecticide for up to three weeks. Direct contact of the Abamectin E-Pro 0.15 EC Insecticide spray can kill aphids, thrips and whiteflies.	

(continued)

DIRECTIONS FOR USE ON FIELD-GROWN ORNAMENTAL PLANTS (continued)

Pests

NOTE: Do not apply to plants with a sufficient volume of foliage above on Resistance Management. Addition of a horticultural oil may prolong control on large sculpture plants and Christmas trees to maintain control. In small nurseries, a mixture of the Abamectin E-Pro 0.15 EC Insecticide and horticultural oil may be used to maintain control on large sculpture plants. Caution: Do not use on plants with extreme temperatures. Consult your state and local authorities for use rates listed.

Do not contaminate water, food, or feed with this pesticide. PESTICIDE STORAGE: Store in original container. PESTICIDE DISPOSAL: Do not dispose of this pesticide in water, soil, or air. Do not burn or incinerate this pesticide. CONTAINER DISPOSAL: Do not reuse empty containers. Do not reuse empty containers. Do not reuse empty containers.

**HOUSE, AND
STMAS TREES, AND
*(continued)***

Application Dilutions

(continued)

**DIRECTIONS FOR USE ON SHADEHOUSE, GREENHOUSE, AND
FIELD-GROWN ORNAMENTALS, FOLIAGE PLANTS, CHRISTMAS TREES, AND
OTHER WOODY ORNAMENTAL PLANTS *(continued)***

Pests	Amount of Abamectin E-Pro 0.15 EC Insecticide (fl. oz./ 100 gallons of water)	Application Timing	Application Dilutions
-------	-------------------------------------------------------------------------------------------------	-----------------------	--------------------------

NOTE: Do not apply less than specified amount of Abamectin E-Pro 0.15 EC Insecticide. Mix with a sufficient volume of water to ensure thorough coverage of the plant. Read the section above on Resistance Management and comply with all label restrictions.

Addition of a horticultural spray oil at concentrations of between 0.5 and 1.0% of the spray volume may prolong control of target pests infesting field-grown woody ornamentals, landscape plants and Christmas trees. Make repeat applications as necessary at 7 day intervals to maintain control. To avoid damage to plants which are sensitive to oils, apply the spray mixture to a small number of plants and observe plants for two weeks before making applications on a large scale. Plants can also be damaged when using spray oils when temperature extremes occur. Carefully read and follow directions on the oil label. Do not exceed maximum use rates listed on either label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
PESTICIDE STORAGE: Store in a tightly closed container in a cool, dry place.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
Do not reuse empty container.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Etigra or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Etigra and Seller harmless for any claims relating to such factors.

Etigra warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Etigra, and Buyer and User assume the risk of any such use. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, ETIGRA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.**

To the extent consistent with applicable law, neither Etigra nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF ETIGRA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF ETIGRA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Etigra and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Etigra.

Abamectin E-Pro 0.15 EC
Avid® is a trademark of
Etigra™ is a trademark of

EPA 20070605

WARRANTY AND LIABILITY
Limitation of Warranty
acceptable, return the prod-

is impossible to eliminate all
injury or other unintended con-
sequences of application, weather, pres-
ence of product, which are beyond
control of User, and Buyer and
Seller to such factors.

Information on the label and is rea-
sonable to the inherent risks referred
to in this warranty does not extend
to conditions not reasonably fore-
seen. User assume the risk of any
injury. ETIGRA MAKES NO WAR-
RANTY PURPOSE NOR ANY OTHER

User shall be liable for any inci-
dent involving this product. **TO
THE EXCLUSIVE REMEDY OF THE
BUYER AND SELLER FOR ANY
CLAIMS BASED ON
STRICT LIABILITY OR OTH-
ERWISE, THE ELECTION OF ETIGRA**

Subject to the foregoing Con-
ditions, this warranty shall not be modified except by
written agreement.

Abamectin E-Pro 0.15 EC Insecticide is not manufactured or distributed by Syngenta, seller of Avid®.
Avid® is a trademark of a Syngenta Group Company.
Etigra™ is a trademark of Etigra.

EPA 20070605

Abamectin E-Pro 0.15 EC

Insecticide

Abamectin E-Pro 0.15 EC
Insecticide contains abamectin,
the active ingredient used in Avid®.

MITICIDE / INSECTICIDE

For Control of Leafminers and Mites

and Suppression of Aphids, Whiteflies and Thrips on Ornamental Plants

ACTIVE INGREDIENT:	
Abamectin (CAS No.'s 65195-56-4 and 65195-55-3)	2.0%*
OTHER INGREDIENTS:	98.0%
TOTAL:	100.0%

*1 gallon contains 0.15 lb. abamectin

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

See inside label booklet for **FIRST AID** and additional **PRECAUTIONARY STATEMENTS**

EPA Reg. No. 79676-57
EPA Est. No. indicated by the 8th digit
of the batch number on this package.
Product of China. Formulated in the United States with U.S. and imported ingredients.
(A)=4-NY-001; (C)=5905-GA-001; (F)=53883-TX-002;
(G)=67545-AZ-001; (M)=51036-GA-001; (P)=34704-MS-002

Manufactured for:
Etigra
501 Cascade Pointe Lane, Suite 103
Cary, NC 27513
www.etigra.com

