


DOCUMENT SCAN CONTROL SHEET

Document ID 502370



EPA # 70627-24-7176

EPA #
For SLN

Product DIMENSION III
Name

Accepted
Date 6/16/2005

Document
Type PRILAB

Registration ID 41311

502370

J-7A LAM. TEMPLATE (3/16" NO PRINT TOP/BOTTOM)

CENTER FRONT

FRONT 6 3/4"

SIDE 2 15/16"

DIMENSION III™ One-Step Disinfectant Cleaner

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear chemical splash-proof goggles or face-shield, rubber gloves and protective clothing. Harmful if inhaled, swallowed or absorbed through skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-228-5635

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

PELIGRO

Si no puede leer en inglés, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

FOR COMMERCIAL & INDUSTRIAL USE

Product of U.S.A.

Maintenance or Product Questions?


BUTCHERS' LEGISERVICE
800-225-9475

ACCEPTED FOR REGISTRATION

JUN 16 2005

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION DIVISION OF SOLID & HAZARDOUS MATERIALS PESTICIDE PRODUCT REGISTRATION

BUTCHERS®



3103355

Dimension III™ One-Step Disinfectant Cleaner

Bactericidal • Virucidal • Fungicidal • Mildewcidal • Deodorizer • Mildewstatic

Meets OSHA Bloodborne Pathogen Standard for HBV & HIV

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride.....8.704%

n-Alkyl (50% C₁₂, 40% C₁₀, 10% C₈) dimethyl benzyl ammonium chloride.....8.190%

OTHER INGREDIENTS:.....83.106%

TOTAL:.....100.000%

EPA Reg. No. 70627-24-7176

EPA Est. No. 4822-WI-1 (WD) or 0312-WI-3 (NW)

Lot code letters indicate establishment number.

MSDS Ref. No. F-00351001

KEEP OUT OF REACH OF CHILDREN

DANGER:

See additional precautionary statements on side.

NET CONTENTS 1 US GALLON (3.78 L)

3/16" NO PRINT MARGIN

1/4" NO PRINT MARGIN

CUTOFF 6 3/8"

LAYFLAT 9 11/16"


BUTCHERS[®]

Dimension III[™]

One-Step Disinfectant Cleaner

This product is a one-step disinfectant cleaner designed for general cleaning and disinfecting of hard, non-porous environmental surfaces. It cleans quickly by removing dirt, grime, mold, mildew, body oils and other common soils found in hospitals, nursing homes, schools and colleges, offices, hotels, motels, public areas and restrooms.

It is designed for use on hard, non-porous environmental surfaces: vinyl, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, fixtures, glazed tile, toilets, urinals, sinks, shower rooms and locker rooms areas—any washable surface where disinfection is required. This product's non-dulling formula eliminates the time and labor normally required for rinsing. A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils.



Sold by:
© 2005 The Butcher Company
Sturtevant, WI 53177-0902 U.S.A.

3/16" NO PRINT MARGIN

DIMENSION III[™] One-Step Disinfectant Cleaner

See reference sheet for complete directions for use and a complete list of organisms.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

To Prepare Use Solution: Add the product at 1/2 oz. per gallon of water (1:256).

Note – Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils or dishes.

For Use as a One-Step Cleaner/Disinfectant: Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. To disinfect, all surfaces must remain wet for 10 minutes. Wipe surfaces and let air dry.

For Use as a Cleaner and Deodorizer: Apply Use Solution to surfaces. Wipe surfaces and let air dry.

For Use as a Non-Acid Bowl Cleaner/Disinfectant in Toilet Bowls and Urinals from Use-Dilution: Pre-clean heavily soiled areas. Empty toilet bowls by forcing water through the trap. Apply Use Solution to exposed surfaces in toilet bowls and urinals. Swab entire surface area especially under rim. Allow entire surface to remain wet for 10 minutes. Flush toilet or urinal and rinse swab applicator thoroughly.

For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains: Pre-clean heavily soiled areas. Apply Use Solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for 10 minutes. Scrub using a deck brush or other coarse material as necessary. Rinse surfaces thoroughly and let air dry.

To Kill Mold and Mildew (in 5% soil load): Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow surfaces to remain wet for 10 minutes. Wipe surfaces and let air dry.

To Control Mold and Mildew: Apply Use Solution to pre-cleaned hard, non-porous environmental surfaces. Allow to air dry. Repeat application weekly or when growth reappears.

To Kill Fungi: Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces and let air dry.

***DIMENSION III kills HBV, HCV and HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV, HCV and HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of DIMENSION III.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV & HCV and for 10 minutes to kill all other organisms cited on the label.

Disposal of Infectious Material: Blood and other body fluids should be autoclaved and disposed of according to Federal, State and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Do not reuse empty container. Keep from freezing.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

3691370 (05/153)

LAYFLAT 9 11/16"

1/4" NO PRINT MARGIN

Dimension™ III

One-Step Disinfectant Cleaner

When used as directed at a 1:256 dilution (1/2 oz. per gallon of water) **DIMENSION™ III** contains 660 ppm of active quaternary germicide making it highly effective against a wide variety of pathogenic microorganisms.

Using approved AOAC test methods under Good Laboratory Practices, in the presence of 400 ppm hard water, 10% serum load and 10 minutes contact time, unless otherwise noted, DIMENSION™ III kills the following on hard non-porous inanimate surfaces:

Bacteria –

Pseudomonas aeruginosa, [ATCC 15442]
Staphylococcus aureus, [ATCC 6538]
Salmonella choleraesuis, [ATCC 10708]
Acinetobacter calcoaceticus, [ATCC 9957]
Bordetella bronchiseptica, [ATCC 10580]
Burkholderia cepacia, [ATCC 25416] formerly known as *Pseudomonas cepacia*
Campylobacter fetus, [ATCC 27374]
Chlamydia psittaci, [VR-125]
Citrobacter freundii, [ATCC 8090]
Enterobacter agglomerans, [ATCC 27155]
Enterobacter cloacae, [ATCC 23355]
Enterobacter liquefaciens, [ATCC 14460]
Enterococcus faecalis, [ATCC 19433] formerly known as *Streptococcus faecalis*
Enterococcus hirae, [ATCC 10541]
Escherichia coli, [ATCC 11229]
Escherichia coli 0157:H7, [ATCC 43890]
Flavobacterium meningosepticum, [ATCC 13253]
Haemophilus influenza, [ATCC 10211]
Hafnia alvei, [ATCC 13337]
Klebsiella oxytoca, [ATCC 13182]
Klebsiella pneumoniae, [ATCC 13883]
Legionella pneumophila, [ATCC 33153]
Listeria monocytogenes, [ATCC 15313]
Micrococcus luteus, [ATCC 4698]
Micrococcus luteus, [ATCC 14452]
Micrococcus sedentarius, [ATCC 27573]
Neisseria gonorrhoeae, [ATCC 43069]
Pasteurella multocida, [ATCC 43137]
Proteus mirabilis, [ATCC 9240]
Proteus vulgaris, [ATCC 13315]
Pseudomonas diminuta, [ATCC 11568]
Pseudomonas fluorescens, [ATCC 13525]
Pseudomonas putida, [ATCC 12633]
Pseudomonas stutzeri, [ATCC 17588]
Salmonella choleraesuis pullorum, [ATCC 19945]
Salmonella enteritidis, [ATCC 13076]
Salmonella gallinarum, [ATCC 9184]
Salmonella schottmuelleri, [ATCC 10719]
Salmonella typhi, [ATCC 6539]
Salmonella typhimurium, [ATCC 13311]
Serratia marcescens, [ATCC 9103]
Shigella dysenteriae, [ATCC 29026]
Shigella flexneri, [ATCC 25875]
Shigella sonnei, [ATCC 25931]
Staphylococcus aureus, [ATCC 25923]
Staphylococcus aureus (Toxic Shock), [ATCC 33586]
Staphylococcus epidermidis, [ATCC 14990]
Staphylococcus haemolyticus, [ATCC 29970]
Streptococcus agalactiae, [ATCC 13813]
Streptococcus mutans, [ATCC 25175]
Streptococcus pyogenes, [ATCC 19615]
Streptococcus pyogenes ("Strep A" - Flesh Eating Strain), (clinical isolate)
Vibrio cholera, [ATCC 11623]
Yersinia enterocolitica, [ATCC 9610]

Antibiotic-Resistant Bacteria –
E. coli [ATCC 55244]; Resistant to Kanamycin
E. coli [ATCC 47041]; Resistant to Tetracycline
Enterococcus faecalis [ATCC 51299]; Resistant to Vancomycin [VRE]
Klebsiella oxytoca [ATCC 15764]; Resistant to Ampicillin, Dihydrostreptomycin
Micrococcus sedentarius [ATCC 27573]; Resistant to Methicillin
Staphylococcus aureus [CDC HIP-5836]; Intermediate Vancomycin Resistance [VISA]
Staphylococcus aureus [ATCC 14154]; Resistant to Erythromycin, Penicillin, Streptomycin, Tetracycline
Staphylococcus aureus [ATCC 33592]; Resistant to Methicillin [MRSA], Gentamicin [GRSA]
Staphylococcus epidermidis [ATCC 51625]; Resistant to Methicillin [MRSE]
Streptococcus pneumoniae [ATCC 51915]; Resistant to Penicillin [PRSP]

Viruses –

Cytomegalovirus, [VR-538]
 Herpes simplex Type 1, [VR-733]
 Herpes simplex Type 2, [VR-734]
 Human Coronavirus, [VR-740]
 Influenza Type A₂ (Hong Kong), [VR-544]
 Parainfluenza Type 3, [VR-93]
 Respiratory syncytial virus, [VR-26]
 Rotavirus, (Strain WA)
 Vaccinia virus (smallpox vaccine virus), [VR-119]

Kills HIV-1 (AIDS virus) (HTLV-III_B) when used as directed on hard, non-porous inanimate surfaces with a 1 minute contact time.

Kills HBV & HCV when used as directed on hard, non-porous inanimate surfaces with a 5 minute contact time.

Veterinary viruses:

Avian Infectious bronchitis (IBV), [VR-22]
 Avian Influenza, [VR-2072]
 Canine distemper, [VR-128]
 Feline viral rhinotracheitis, [VR-636]
 Infectious bovine rhinotracheitis, [VR-188]
 New Castle disease, [VR-108]
 Pseudorabies, [VR-135]
 Transmissible gastroenteritis virus (TGE), (U of Minn. Strain)

Fungi –

Geotrichum candidum, [ATCC 18301]
Saccharomyces cerevisiae, [ATCC 2601]

Using approved AOAC test methods under Good Laboratory Practices, in the presence of 400 ppm hard water, 5% serum load and 10 minutes contact time, unless otherwise noted, DIMENSION™ III kills the following on hard non-porous inanimate surfaces:

Viruses –

Adenovirus Type 2, [VR-2]

Fungi:

Aspergillus niger, [ATCC 6275]
Trichophyton mentagrophytes (athlete's foot fungus), [ATCC 9533]

Yeast:

Candida albicans, [ATCC 10231]

Mold/Mildew – kills the growth of mold and mildew: *Aspergillus niger* [ATCC 6275] and the odors caused by them when applied to hard, non-porous environmental surfaces.

Mildewstatic Activity – controls and prevents the growth of mold and mildew: *Aspergillus niger* [ATCC 6275] and the odors caused by them when applied to hard, non-porous environmental surfaces.

Malodors – eliminates odors and odor-causing bacteria in restroom areas, behind and under sinks and counters, garbage cans and storage areas and other places where bacterial growth can cause malodors.

Bactericidal Stability of Use-Dilution – Tests show **DIMENSION™ III**, when diluted in 400 ppm hard water and in the presence of 5% serum load, remains effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* for up to 1 year in storage as long as it remains sealed. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, dry containers when diluting this product.

EPA Reg. No. 70627-24-7176

Sold By: ©2005 **The Butcher Company**
 Sturtevant, WI 53177-0902
 1-800-225-9475

DIMENSION™ III can be applied by mop, sponge, cloth, paper towel, coarse trigger sprayer, auto-scrubber or foam gun. Change cloth, sponges or towels frequently to avoid redeposition of soil. For disinfection, all surfaces must remain wet for 10 minutes.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

To Prepare Use Solution:

Add the product at 1/2 oz. per gallon of water (1:256).

Note – Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces such as appliances and kitchen countertops must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

For Use as a One-Step Cleaner/Disinfectant:

Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. To disinfect, all surfaces must remain wet for 10 minutes. Wipe surfaces and let air dry.

For Use as a Cleaner and Deodorizer:

Apply Use Solution to surfaces. Wipe surfaces and let air dry.

For Use as a Non-Acid Bowl Cleaner/Disinfectant in Toilet Bowls and Urinals from Use-Dilution:

Pre-clean heavily soiled areas. Empty toilet bowls by forcing water through the trap. Apply Use Solution to exposed surfaces in toilet bowls and urinals. Swab entire surface area especially under rim. Allow entire surface to remain wet for 10 minutes. Flush toilet or urinal and rinse swab applicator thoroughly.

For use as a Non-Acid Bowl Cleaner/Disinfectant in Toilet Bowls from Concentrate:

Pre-clean heavily soiled areas. Add 3/8 oz. into toilet bowl. Swab entire surface area especially under the rim. Allow entire surface to remain wet for 10 minutes. Flush toilet and rinse swab applicator thoroughly.

For Use To Clean and Disinfect Shower Rooms, Locker Rooms and Other Large, Open Areas with Floor Drains:

Pre-clean heavily soiled areas. Apply Use Solution to floors, walls and ceilings making sure not to over spray. To disinfect, all surfaces must remain wet for 10 minutes. Scrub using a deck brush or other coarse material as necessary. Rinse surfaces thoroughly and let air dry.

To Kill Mold and Mildew (in 5% soil load):

Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow surfaces to remain wet for 10 minutes. Wipe surfaces and let air dry.

To Control Mold and Mildew:

Apply Use Solution to pre-cleaned hard, non-porous environmental surfaces. Allow to air dry. Repeat application weekly or when growth reappears.

To Kill Fungi:

Pre-clean heavily soiled areas. Apply Use Solution to hard, non-porous environmental surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces and let air dry.

***DIMENSION™ III kills HBV & HCV and HIV-1 on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids**

in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Hepatitis B Virus (HBV), Hepatitis C Virus (HCV) and Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HBV, HCV and HIV-1 OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of **DIMENSION™ III**.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, 5 minutes to kill HBV & HCV and for 10 minutes to kill all other organisms cited on the label.

Disposal of Infectious Material: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

DIMENSION™ III may be used to fill and refill clean, properly labeled containers for dilution elsewhere within your facility. Make sure the small container has been cleaned, dried and properly labeled. Also make sure other items (funnels or hand pumps) are properly cleaned and dried. To refill, simply pour from the larger container directly into the smaller one being careful not to spill any product. Keep both containers sealed when not in use.